Author Index

Abdalla, H. S.	A prototype constraint-based system for the automation and optimization of machining processes	655–676
Abdul-Hamid, Y. T.	An analytic hierarchy process approach to the choice of manufacturing plant layout	397–406
Alberti, N.	Multipass machining optimization by using fuzzy possibilistic programming and genetic algorithms	261–273
Allen, J. P.	Machine tool thermal error reduction—an appraisal	1–9
Barton, J. S.	Optical probing of acoustic emission from a rotating tool holder with a Sagnac interferometer	171–181
Bell, R.	A manufacturing model representation of a flexible manufacturing facility	225–246
Bell, R.	Distributed autonomous real-time planning and control of small to medium enterprises	475–489
Berzins, M.	Selective laser sintering of an amorphous polymer—simulations and experiments	333–349
Blake, M. D.	The identification of non-rigid errors in a vertical machining centre	555–566
Booker, J. D.	Tolerance optimization in assembly stacks based on capable design	677–693
Boston, O. P.	Exploiting (supplier) information acquisition mechanisms in NPD: an empirical study	751–760
Brinksmeier, E.	Aspects of cooling lubrication reduction in machining advanced materials	769–778
Brown, N.	Improving wood surface form by modification of the rotary machining process—a mechatronic approach	247–260
Carolan, T. A.	Optical probing of acoustic emission from a rotating tool holder with a Sagnac interferometer	171–181
Case, K.	A single representation to support assembly and process planning in feature-based design machined parts	143–155
Case, K.	Feature-based interaction: an identification and classification methodology	369–380
Chen, C.-K.	A manufacturing model of carbide-tipped spherical milling cutters	713–724
Chen, S.-L.	Energy analysis and quality evaluation of pulsed neodymium-doped yttrium aluminium garnet laser cladding ceramic–metal composite coating on aluminium alloys	29–40
Chen, X.	Study and selection of grinding conditions. Part 2: a hybrid intelligent system for selection of grinding conditions	131–142
Chen, Y. H.	Feature-based robot machining for rapid prototyping	451–459
Childs, T. H. C.	Selective laser sintering of an amorphous polymer—simulations and experiments	333–349
Cho, D.-J.	Intelligent control of VCR audio tuning process using a genetic estimator	577–586
Cho, H. S.	Three-dimensional temperature distribution in laser surface hardening processes	695–712
Cho, H. S.	Analytical solution for transient temperature distribution in gas tungsten arc welding with consideration of filler wire	799–811
Chyan, H. C.	Tapered-web helical groove machining	779–785
Corbett, J.	The use of design methods within production machinery companies	285–293
Crafoord, R.	Chip control in tube turning using a high-pressure water jet	761–767
Culley, S. J.	Exploiting (supplier) information acquisition mechanisms in NPD: an empirical study	751–760
Dale, B. G.	Integration of quality, environmental and health and safety management systems: an examination of the key issues	275–283
da Silva Hounsell, M.	Feature-based interaction: an identification and classification methodology	369–380
Dewar, R. G.	The generation and practical use of plans for manual assembly using immersive virtual reality	461–474
Diersen, P.	Aspects of cooling lubrication reduction in machining advanced materials	769–778
Dilworth, J.	Application of a generic manufacturing planning and control system reference architecture to different manufacturing environments	381–396
Dimov, S.	Selective laser sintering: applications and technological capabilities	435–449
Duc, E.	Machining of free-form surfaces and geometrical specifications	21–27
Ebrahimi, M.	Modelling and simulation of the milling action	539–554
Edwards, C.	Failure analysis of mature robots in automated production	813–824
Ehmann, K. F.	Tapered-web helical groove machining	779–785
Ford, D. G.	Machine tool thermal error reduction—an appraisal	1–9
Ford, D. G.	The identification of non-rigid errors in a vertical machining centre	555–566
Gayretli, A.	A prototype constraint-based system for the automation and optimization of machining processes	655–676
Gouvinhas, R. P.	The use of design methods within production machinery companies	285–293
Gweon, D.-G.	A new criterion for quality monitoring of pulsed laser spot welding using an infrared sensor. Part 1: the radiation feature as a criterion for quality monitoring	41–49
Gweon, D.-G.	A new criterion for quality monitoring of pulsed laser spot welding using an infrared sensor. Part 2: quality estimation using an artificial neural network	51–57
Gweon, D.-G.	Intelligent control of VCR audio tuning process using a genetic estimator	577–586
Hardisty, H.	Finite element computer investigation of the electrochemical machining process for a parabolically shaped moving tool eroding an arbitrarily shaped workpiece	787–798
Harvey, D.	Optical probing of acoustic emission from a rotating tool holder with a Sagnac interferometer	171–181
Hou, K. C.-C.	Range image measurement and shaded image measurement: two non-contact coordinate measurement approaches designed for special application tasks	501–513

© IMechE 1999

Howard, A.	Application of a generic manufacturing planning and control system reference architecture to different manufacturing environments	381–396
Hsu, R.-L.	Energy analysis and quality evaluation of pulsed neodymium-doped yttrium aluminium garnet laser cladding ceramic–metal composite coating on aluminium alloys	29–40
Humphreys, P. K.	New roles for twenty-first century manufacturing	215–224
Hussain, K.	Simulation study of an agile high-speed machining system for automotive cylinder heads	491–499
Ip, R. W.-L.	Range image measurement and shaded image measurement: two non-contact coordinate measurement approaches designed for special application tasks	501–513
Jackson, M. R.	Improving wood surface form by modification of the rotary machining process—a mechatronic approach	247–260
Jain, P. K.	Extraction of compound volumetric features from a three-dimensional wire frame model	597–613
Jakobsen, M. L.	Optical probing of acoustic emission from a rotating tool holder with a Sagnac interferometer	171–181
Janssen, R.	Aspects of cooling lubrication reduction in machining advanced materials	769–778
Johns, C.	Detection of tooth breakage in end milling using machine tool axis control signals	103–108
Jones, J. D. C.	Optical probing of acoustic emission from a rotating tool holder with a Sagnac interferometer	171–181
Kaminski, J.	Chip control in tube turning using a high-pressure water jet	761–767
Kang, S. H.	Analytical solution for transient temperature distribution in gas tungsten arc welding with consideration of filler wire	799–811
Kang, Y. S.	Precision forging design and analysis in electronics part manufacturing	11–20
Khan, M. K.	An analytic hierarchy process approach to the choice of manufacturing plant layout	397–406
Kochhar, A.	Application of a generic manufacturing planning and control system reference architecture to different manufacturing environments	381–396
Kochhar, A. K.	An analytic hierarchy process approach to the choice of manufacturing plant layout	397–406
Kovacevic, R.	Turbulent solid–liquid flow through the nozzle of premixed abrasive water jet cutting systems	59–67
Kovacevic, R.	Arc interference and a unique push–pull arc solution in alternating current plasma arc welding of aluminium alloys	69–76
Lacan, F.	Selective laser sintering: applications and technological capabilities	435–449
Lagerberg, S.	Chip control in tube turning using a high-pressure water jet	761–767
Lai, H.-Y.	A manufacturing model of carbide-tipped spherical milling cutters	713–724
Lartigue, C.	Machining of free-form surfaces and geometrical specifications	21–27
Lau, H. Y. K.	An object-oriented frame-based prototyping approach for the development of automated manufacturing systems	351–367
Lau, K. H.	Automated visual inspection for surface profile tolerancing	587–596
Li, Y.	Study and selection of grinding conditions. Part 1: grinding conditions and selection strategy	119–129
Li, Y.	Study and selection of grinding conditions. Part 2: a hybrid intelligent system for selection of grinding conditions	131–142
Lim, D.-C.	A new criterion for quality monitoring of pulsed laser spot welding using an infrared sensor. Part 1: the radiation feature as a criterion for quality monitoring	41–49
Lim, D.-C.	A new criterion for quality monitoring of pulsed laser spot welding using an infrared sensor. Part 2: quality estimation using an artificial neural network	51–57
Ljungkrona, O.	Chip control in tube turning using a high-pressure water jet	761–767
Loose, K.	Heat generation at photopolymerization by multiple-spot exposure with blue light	567–575
McAleer, W. E.	New roles for twenty-first century manufacturing	215–224
McIvor, R. T.	New roles for twenty-first century manufacturing	215–224
McMahon, C. A.	Exploiting (supplier) information acquisition mechanisms in NPD: an empirical study	751–760
Mak, K. L.	An object-oriented frame-based prototyping approach for the development of automated manufacturing systems	351–367
Maksoud, T. M. A.	Grinding ceramics containing preformed cracks	109–118
Martin, K. F.	Modelling and simulation of the milling action	539–554
Mileham, A. R.	Finite element computer investigation of the electrochemical machining process for a parabolically shaped moving tool eroding an arbitrarily shaped workpiece	787–798
Mills, B.	Study and selection of grinding conditions. Part 1: grinding conditions and selection strategy	119–129
Mills, B.	Study and selection of grinding conditions. Part 2: a hybrid intelligent system for selection of grinding conditions	131–142
Mokbel, A. A.	Grinding ceramics containing preformed cracks	109–118
Molina, A.	A manufacturing model representation of a flexible manufacturing facility	225–246
Morgan, J. E.	Grinding ceramics containing preformed cracks	109–118
Nakagawa, T.	Heat generation at photopolymerization by multiple-spot exposure with blue light	567–575
Newman, S. T.	Distributed autonomous real-time planning and control of small to medium enterprises	475–489
Ng, K. C.	Automated visual inspection for surface profile tolerancing	587–596
Niino, T.	Heat generation at photopolymerization by multiple-spot exposure with blue light	567–575
Omar, M.	Simulation study of an agile high-speed machining system for automotive cylinder heads	491–499
Park, K.	Precision forging design and analysis in electronics part manufacturing	11–20
Parkin, R. M.	Improving wood surface form by modification of the rotary machining process—a mechatronic approach	247–260
Perrone, G.	Multipass machining optimization by using fuzzy possibilistic programming and genetic algorithms	261–273
Pham, D. T.	Efficient control chart pattern recognition through synergistic and distributed artificial neural networks	157–169

© IMechE 1999

Pham, D. T.	Selective laser sintering: applications and technological capabilities	435–449
Postlethwaite, S. R.	Machine tool thermal error reduction—an appraisal	1–9
Postlethwaite, S. R.	The identification of non-rigid errors in a vertical machining centre	555–566
Prickett, P. W.	Detection of tooth breakage in end milling using machine tool axis control signals	103–108
Rahimifard, S.	Distributed autonomous real-time planning and control of small to medium enterprises	475–489
Raines, M.	Tolerance optimization in assembly stacks based on capable design	677–693
Reuben, R. L.	Optical probing of acoustic emission from a rotating tool holder with a Sagnac interferometer	171–181
Ritchie, J. M.	The generation and practical use of plans for manual assembly using immersive virtual reality	461–474
Rowe, W. B.	Study and selection of grinding conditions. Part 1: grinding conditions and selection strategy	119–129
Rowe, W. B.	Study and selection of grinding conditions. Part 2: a hybrid intelligent system for selection of grinding conditions	131–142
Ryder, G. R.	Selective laser sintering of an amorphous polymer—simulations and experiments	333–349
Shahin, T. M. M.	Design reuse: an overview	641–654
Simmons, J. E. L.	The generation and practical use of plans for manual assembly using immersive virtual reality	461–474
Sivaloganathan, S.	Design reuse: an overview	641–654
Song, Y.	Feature-based robot machining for rapid prototyping	451–459
Starr, A. G.	Failure analysis of mature robots in automated production	813–824
Swift, K. G.	Tolerance optimization in assembly stacks based on capable design	677–693
Tang, Y.	A manufacturing model of carbide-tipped spherical milling cutters	713–724
Tontowi, A.	Selective laser sintering of an amorphous polymer—simulations and experiments	333–349
Tournier, C.	Machining of free-form surfaces and geometrical specifications	21–27
Walter, A.	Aspects of cooling lubrication reduction in machining advanced materials	769–778
Wang, Q. L.	Arc interference and a unique push–pull arc solution in alternating current plasma arc welding of aluminium alloys	69–76
Wan Harun, W. A.	A single representation to support assembly and process planning in feature-based design machined parts	143–155
Wani, M. A.	Efficient control chart pattern recognition through synergistic and distributed artificial neural networks	157–169
Wilkinson, G.	Integration of quality, environmental and health and safety management systems: an examination of the key issues	275–283
Wong, S. T. W.	An object-oriented frame-based prototyping approach for the development of automated manufacturing systems	351–367
Woo, H. G.	Three-dimensional temperature distribution in laser surface hardening processes	695–712
Wretland, A.	Chip control in tube turning using a high-pressure water jet	761–767
Wright, S.	Simulation study of an agile high-speed machining system for automotive cylinder heads	491–499
Wynne, R. J.	Failure analysis of mature robots in automated production	813–824
Yang, D. Y.	Precision forging design and analysis in electronics part manufacturing	11–20
Ye, J.	Turbulent solid–liquid flow through the nozzle of premixed abrasive water jet cutting systems	59–67
Zheng, B.	Arc interference and a unique push–pull arc solution in alternating current plasma arc welding of aluminium alloys	69–76

Short Communications in Manufacture and Design

Abdul Rani, M. R.	An experimental investigation of human mismatches in machining	197–201
Acar, B. S.	Computer aided modelling of the human spine	83–86
Alcock, R. J.	Plywood image segmentation using hardware-based image processing functions	431–434
Andrews, P. T. J.	A design reuse system	621–627
Bagshaw, R. W.	Quality information feedback within a contemporary metalworking smaller manufacturing enterprise	533–538
Basson, A. H.	Manufacturing cost estimation during design of fabricated parts	731–735
Bates, R. A.	Emulator technology in engineering design	305–309
Besant, C. B.	Energy life cycle design: a method	415–419
Bleck, W.	The detrimental effect of non-metallic inclusions during metal forming processes	427–430
Bourdet, P.	Geometrical tolerancing in process planning: a tridimensional approach	635–640
Canciglieri Jr, O.	Manufacturing information interactions in data model driven design	527–532
Case, K.	An experimental investigation of human mismatches in machining	197–201
Case, K.	Computer aided modelling of the human spine	83–86
Chen, X.	Modelling surface roughness improvement in grinding	93–96
Chippendale, K. E.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
Cooke, J. A.	Metrics in the engineering design process	523–526
Costa, C. A.	Manufacturing information interactions in data model driven design	527–532
Court, A. W.	Energy life cycle design: a method	415–419
Culley, S. J.	Classification approaches for standard parts to aid design reuse	203–207
Dépincé, P.	Visibility: an application to a probe's definition	747–750
Dimov, S. S.	A system for automatic extraction of feature-based assembly information	97–101
Dyck, D.	Modelling with gradient information	209–213
Emmer, T.	Environmentally clean metal cutting processes—machining on the way to dry cutting	329–332
Ferreira, J.	Investigation into the automation of incremental forming processes	311–315

© IMechE 1999

Guild, F. J.	The detrimental effect of non-metallic inclusions during metal forming processes	427–430
Hajee, D. W.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
Hammond, J.	A maximally weighted planar graph method for facilities design	421–425
Hascoët, J.-Y.	Smooth circular arc interpolation for planar free curves with tolerance control	629–633
Horrill, M. D.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
Ji, C.	A concurrent design system for machined parts	841–846
John, E. G.	A maximally weighted planar graph method for facilities design	421–425
Kay, G. R.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
Korves, B.	The application of immersive virtual reality for layout planning of manufacturing cells	87–91
Lamming, R. C.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
Leaney, P. G.	A systems engineering approach to product modularity	847–851
Lee, J.-J.	Smooth circular arc interpolation for planar free curves with tolerance control	629–633
Legoff, O.	Geometrical tolerancing in process planning: a tridimensional approach	635–640
Li, M.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
Li, X. Q.	Intelligent tool wear identification based on optical scattering image and hybrid artificial intelligence techniques	191–196
Loftus, M.	The application of immersive virtual reality for layout planning of manufacturing cells	87–91
Loftus, M.	Rapid prototyping based on image information in reverse design applications	317–322
Lowe, C.	Scheduling for just-in-time flexible manufacturing using adaptive fuzzy logic	741–745
Lowther, D.	Modelling with gradient information	209–213
MacGregor, S. A.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
McMahon, C. A.	Metrics in the engineering design process	523–526
McMahon, C. A.	The detrimental effect of non-metallic inclusions during metal forming processes	427–430
Malik, Z.	Modelling with gradient information	209–213
Marshall, R.	A systems engineering approach to product modularity	847–851
Morgan, J. E.	The detrimental effect of non-metallic inclusions during metal forming processes	427–430
Mueller, K. G.	Energy life cycle design: a method	415–419
Nee, A. Y. C.	Intelligent tool wear identification based on optical scattering image and hybrid artificial intelligence techniques	191–196
Nelder, G. P.	Diagnostic benchmarking for small- and medium-sized enterprises	323–327
Nelder, J.	Modelling with gradient information	209–213
Newman, S. T.	Quality information feedback within a contemporary metalworking smaller manufacturing enterprise	533–538
Newnes, L. B.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
North, M. R.	Metrics in the engineering design process	523–526
Oguibe, C. N.	Reliability assessment of a digital electronic board assembly using the physics-of-failure approach: a case study	833–839
Osman, F. H.	Investigation into the automation of incremental forming processes	311–315
Page, T.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
Peng, Q.-J.	Rapid prototyping based on image information in reverse design applications	317–322
Pham, D. T.	A concurrent design system for machined parts	841–846
Pham, D. T.	A system for automatic extraction of feature-based assembly information	97–101
Pham, D. T.	Plywood image segmentation using hardware-based image processing functions	431–434
Popke, H.	Environmentally clean metal cutting processes—machining on the way to dry cutting	329–332
Porter, J. M.	Computer aided modelling of the human spine	83–86
Riedel, U. T.	The detrimental effect of non-metallic inclusions during metal forming processes	427–430
Rowe, W. B.	Modelling surface roughness improvement in grinding	93–96
Schreve, K.	Manufacturing cost estimation during design of fabricated parts	731–735
Schuster, H. R.	Manufacturing cost estimation during design of fabricated parts	731–735
Shahin, T. M. M.	A design reuse system	621–627
Sinclair, M. A.	An experimental investigation of human mismatches in machining	197–201
Sivaloganathan, S.	A design reuse system	621–627
Skandalakis, A.	Diagnostic benchmarking for small- and medium-sized enterprises	323–327
Spence, R.	Modelling with gradient information	209–213
Staniforth, J. N.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
Steffenhagen, J.	Environmentally clean metal cutting processes—machining on the way to dry cutting	329–332
Tedford, J. D.	Scheduling for just-in-time flexible manufacturing using adaptive fuzzy logic	741–745
Tobyn, M. J.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
Villeneuve, F.	Geometrical tolerancing in process planning: a tridimensional approach	635–640
Williams, D. J.	Reliability assessment of a digital electronic board assembly using the physics-of-failure approach: a case study	833–839
Wong, D.	The application of computational fluid dynamics to the development of a pharmaceutical processor	737–740
Wong, Y. S.	Intelligent tool wear identification based on optical scattering image and hybrid artificial intelligence techniques	191–196
Wynn, H. P.	Emulator technology in engineering design	305–309
Xiao, D. C.	Computer aided modelling of the human spine	83–86
Young, R. I. M.	Manufacturing information interactions in data model driven design	527–532

© IMechE 1999